

ACTIVE pixelTM
safety made easier

AP-WIFI-MINI-0800N-3MP



3MP



Key Features

- **Mini WiFi NVR 8CH 3MP H.265 Wireless Network Video Recorder for IP Camera Support Face Detection Email Alert XMEYE**
- Megapixels : 3MP
- High Definition : 1536P(Full-HD)
- TF Storage: Support local TF card, maximum support up to 128G,
- Network Storage: 1*RJ45 1*10/100/1000Mbps
- HDMI port : supports HDMI output to the display
- Support HDD : Up to 2.0TB HDD
- NVR Supports : 7x24 hours loop recording, motion detection recording, other recording modes
- Wireless Coding : SYNC wireless code
- Ultra-wide wifi coverage : 50 mtrs without walls, 10-20 mtrs with one wall, 10 mtrs with two walls
- Supported Mobile Systems : for (iOS, Android) XMeye Plug and play
- Working environment: Indoor Connectivity : IP/Network Wireless
- Video Compression Format : H.264 / H.265 Dual Stream
- Day/Night View: Support Human form detection and face detection

www.activepixel.in



AP-WIFI-MINI-0800N-3MP

Specification

Model	AP-WIFI-MINI-0800N-3MP
Camera	
Resolution	2048x1536
HD Definition	3MP
Video Resolution	3MP
Video Compression	H.264 / H.265 Dual Stream
Video Input	8Ch3M/ WIFI
Video Output Interface	Supports / HDMI Output to the Display
Audio Input	8 Channels
Network Protocol	WiFi / IP
Connectivity	WiFi
WiFi Band	2.4G HZ
WiFi Standard	IEEE802.11b/g/n
Recording	7x24 Hrs Loop Recording / Motion Detection Recording / Other Recording Modes
Technology	Pan & Tilt
SATA Port	Up to 2.0TB HDD
Network Interface	RJ45 10/100M
Ethernet Port	RJ45 1* 10/100/1000Mbps

www.activepixel.in



AP-WIFI-MINI-0800N-3MP

Specification

Model	AP-WIFI-MINI-0800N-3MP
Camera	
USB Port	2*USB2.0
Monitoring	Mobile Phone Remote Monitoring (iOS, Android) XMeye
Remote Viewing	P2P Remote Viewing
Wireless Codec	Support "SYNC"
Wireless Security	WPA2
Ultra-wide Wifi Coverage	50 meters without walls, 10-20 meters with one wall, 10 meters with two walls
Storage	Local TF Card Storage / Network Storage
Storage Capacity	Up to 128GB TF Card
Backup Storage	SD
Supported Operating Systems	Android
Communication Interface	Not Support
Protocol Level	IP66 Waterproof
Detection Mode	Human Detection / Face Detection / Smart Motion Detection
Alarm Mode	Push Photo Notification
Vision Mode	Day - Night Vision
Temperature	0°C -+ 55°C

www.activepixel.in



AP-WIFI-MINI-0800N-3MP

Specification

Model	AP-WIFI-MINI-0800N-3MP
Camera	
Humidity	10% - 90% RH
Power Supply	DC12V/2AMP
Consumption	< 5W
Dimension	171mm(L)* 136mm(W)* 37mm(H)
NVR Color	White
Working Environment	Indoor Connectivity

www.activepixel.in